

**Trade name:** WIDOSEAL-LF 1K

**Current version :** 2.0.0, issued: 08.08.2023

**Replaced version:** 1.0.0, issued: 14.06.2023

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**WIDOSEAL-LF 1K**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

sealing

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

**Information provided by / telephone**

+49 (0) 4144 69821-0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**Details of the importer**

**Address**

Widopan Limited

System House Horndon Industrial Park 24 Station Rd

West Horndon Brentwood CM13 3XL

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

-

**Signal word**

-

**Hazard statement(s)**

-

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

**Hazard statements (EU)**

EUH208 Contains Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-. May produce an allergic reaction.  
 EUH210 Safety data sheet available on request.

**Precautionary statement(s)**

-

**Labelling information**

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

**2.3 Other hazards**

PBT assessment  
 No data available.

vPvB assessment  
 No data available.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>trimethoxypropylsilane</b>			
	1067-25-0 213-926-7 - 01-2119972314-37	Flam. Liq. 3; H226 Skin Irrit. 2; H315	< 2.50	wt%
2	<b>Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-</b>			
	- 483-270-6 - 01-0000020199-67	Skin Sens. 1; H317 STOT SE 2; H371o	< 2.50	wt%
3	<b>titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]</b>			
	13463-67-7 236-675-5 - 01-2119489379-17	-	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Skin Sens. 1; H317: C >= 5%	-	-

No	Route, target organ, concrete effect
2	H371o oral; -; -

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

**After inhalation**

**Trade name:** WIDOSEAL-LF 1K**Current version :** 2.0.0, issued: 08.08.2023**Replaced version:** 1.0.0, issued: 14.06.2023**Region:** GB

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

In case of contact with skin wash off with water.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

**After ingestion**

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

carbon dioxide; foam; extinguishing powder; water spray jet; water mist

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon oxides (COx); Nitrogen oxides (NOx)

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

**Advice on protection against fire and explosion**

Keep away from ignition sources and provide for good ventilation.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m <sup>3</sup>
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Titanium dioxide respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m <sup>3</sup>

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	trimethoxypropylsilane			<b>1067-25-0</b> <b>213-926-7</b>	
	dermal	Long term (chronic)	systemic	17.86	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	123.82	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	trimethoxypropylsilane			<b>1067-25-0</b> <b>213-926-7</b>	
	oral	Long term (chronic)	systemic	1.26	mg/kg bw/day
	dermal	Long term (chronic)	systemic	8.77	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	30.25	mg/m <sup>3</sup>
	inhalative	Short term (acute)	systemic	154.17	mg/m <sup>3</sup>

**PNEC values**

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	trimethoxypropylsilane		<b>1067-25-0</b> <b>213-926-7</b>

**Trade name:** WIDOSEAL-LF 1K**Current version :** 2.0.0, issued: 08.08.2023**Replaced version:** 1.0.0, issued: 14.06.2023**Region:** GB

water	fresh water	1.49	mg/L
water	marine water	0.149	mg/L
water	fresh water sediment	5.6	mg/kg dry weight
water	marine water sediment	0.56	mg/kg dry weight
soil	-	0.25	mg/kg dry weight
sewage treatment plant	-	10	mg/L

**8.2 Exposure controls****Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Other**

Chemical-resistant work clothes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
liquid	
<b>Colour</b>	
Various, depending on coloration	
<b>Odour</b>	
No data available	
<b>pH value</b>	
Value	7
Source	Manufacturer
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

<b>Flash point</b>			
No data available			
<b>Ignition temperature</b>			
No data available			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
No data available			
<b>Upper explosion limit</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	1.3	g/cm <sup>3</sup>	
Reference temperature	20	°C	
Source	Manufacturer		
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	trimethoxypropylsilane	1067-25-0	213-926-7
log Pow		1.7	
Source	ECHA		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
log Pow		9.259	
Reference temperature		20	°C
Method	QSAR		
Source	ECHA		
<b>Kinematic viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			
<b>9.2 Other information</b>			
<b>Other information</b>			
No data available.			

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

strong oxidizing agents

**10.6 Hazardous decomposition products**

None if stored, handled and transported properly. In case of fire: see section 5.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
LD50		5170	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
LD50		2500	mg/kg bodyweight
Species	rat (female)		
Method	OECD 423		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
LC50		22.2	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
Duration of exposure		4	h
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

1	trimethoxypropylsilane	1067-25-0	213-926-7
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

**Respiratory or skin sensitisation**

No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
Route of exposure		Skin	
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		

**Germ cell mutagenicity**

No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Reproduction toxicity**

No data available

**Carcinogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity****Toxicity to fish (acute)**

No data available



Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

Toxicity to fish (chronic)	
No data available	

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
EC50	>	816	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU Method C.2		
Source	ECHA		

Toxicity to Daphnia (chronic)	
No data available	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
EC50	>	913	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	EU C.3		
Source	ECHA		

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
NOEC		100	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
Value		54	%
Duration		28	d
Method	EU Method C.4-A		
Source	ECHA		
Evaluation	not readily biodegradable		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6
Type	ThOD		
Value		9	%
Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	not readily biodegradable		

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	trimethoxypropylsilane	1067-25-0	213-926-7
log Pow		1.7	
Source	ECHA		
2	Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	-	483-270-6

**Trade name:** WIDOSEAL-LF 1K**Current version :** 2.0.0, issued: 08.08.2023**Replaced version:** 1.0.0, issued: 14.06.2023**Region:** GB

log Pow	9.259	
Reference temperature	20	°C
Method	QSAR	
Source	ECHA	

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information
Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information**

Trade name: WIDOSEAL-LF 1K

Current version : 2.0.0, issued: 08.08.2023

Replaced version: 1.0.0, issued: 14.06.2023

Region: GB

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Calcium carbonate	471-34-1	207-439-9	75
2	CARBON BLACK	1333-86-4	215-609-9	75
3	titanium dioxide; [not containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	236-675-5	75

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

#### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H371o	May cause damage to organs if swallowed.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

# EU safety data sheet



---

**Trade name:** WIDOSEAL-LF 1K

**Current version :** 2.0.0, issued: 08.08.2023

**Replaced version:** 1.0.0, issued: 14.06.2023

**Region:** GB

---

Prod-ID      793237