

Current version: 6.0.0, issued: 05.07.2024 Reglaced version: 6.0.0, issued: 01.07.2024 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

WIDOCRYL-PM (-TEN)/ -PD/ -Detail

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Coatings

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Widopan Produkte GmbH

Ostereichen 3

D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0 Fax no. +49 (0) 4144 69821-20

Information provided by / telephone

+49 (0) 4144 69821-0

Advice on Safety Data Sheet

sdb_info@umco.de

Details of the importer

Address

Widopan Limited System House

Horndon Industrial Park

24 Station Rd West Horndon Brentwood

CM13 3XL

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







Signal word

Danger

Hazardous component(s) to be indicated on label:

methyl-methacrylate

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

dodecane-1-thiol

Hazard statement(s)

H225 Highly flammable liquid and vapour. H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Toxic to aquatic life with long lasting effects. H411

Hazard statements (EU)

EUH208 Contains Reaction mass of 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2-(2-

hydroxyethoxy)ethyl](4-methylphenyl)amino]-ethanol, 2,2'-ethylenedioxydiethyl

dimethacrylate. May produce an allergic reaction.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P391

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| No | Substance name | | Additional information | |
|----|--------------------------------|-------------------------------------|------------------------|---|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Concentration | % |
| 1 | methyl-methacryla | te | | |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| | T | I | | | | |
|---|---------------------|---|----|-----------|-------|-----|
| | 80-62-6 | Flam. Liq. 2; H225 | >= | 10.00 - < | 25.00 | wt% |
| | 201-297-1 | Skin Irrit. 2; H315 | | | | |
| | 607-035-00-6 | Skin Sens. 1; H317 | | | | |
| | 01-2119452498-28 | STOT SE 3; H335 | | | | |
| 2 | Reaction mass of E | Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | | | | |
| | and Methyl 1,2,2,6, | 6-pentamethyl-4-piperidyl sebacate | | | | |
| | 1065336-91-5 | Aquatic Acute 1; H400 | < | 2.50 | | wt% |
| | 915-687-0 | Aquatic Chronic 1; H410 | | | | |
| | - | Skin Sens. 1A; H317 | | | | |
| | 01-2119491304-40 | Repr. 2; H361f | | | | |
| 3 | Reaction mass of 2 | 2,2'-[(4-methylphenyl)imino]bisethanol and 2-[[2- | | | | |
| | (2-hydroxyethoxy) | ethyl](4-methylphenyl)amino]-ethanol | | | | |
| | - | Acute Tox. 4; H302 | < | 2.50 | | wt% |
| | 911-490-9 | Aquatic Chronic 3; H412 | | | | |
| | - | Eye Dam. 1; H318 | | | | |
| | 01-2119979579-10 | Skin Irrit. 2; H315 | | | | |
| | | Skin Sens. 1; H317 | | | | |
| 4 | dodecane-1-thiol | | | | | |
| | 112-55-0 | Skin Corr. 1C; H314 | < | 2.50 | | wt% |
| | 203-984-1 | Eye Dam. 1; H318 | | | | |
| | - | Skin Sens. 1A; H317 | | | | |
| | 01-2119491318-31 | Aquatic Acute 1; H400 | | | | |
| | | Aquatic Chronic 1; H410 | | | | |
| 5 | 2,2'-ethylenedioxyo | diethyl dimethacrylate | | | | |
| | 109-16-0 | Skin Sens. 1B; H317 | < | 2.50 | | wt% |
| | 203-652-6 | | | | | |
| | - | | | | | |
| | 01-2119969287-21 | | | | | |
| | | | | | | |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

| No | Note | Specific concentration limits | M-factor (acute) | M-factor (chronic) |
|----|------|-------------------------------|------------------|-----------------------|
| 1 | D | - | - | - |
| 4 | - | - | M = 10 | M = 10 |
| 5 | D | - | - | - |

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse the mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

Recommended storage temperature

Value 5 - 25 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| No | Substance name | CAS no. | | EC no. | |
|----|---|---------|-------|-----------|-----|
| 1 | methyl-methacrylate | 80-62-6 | | 201-297-1 | |
| | 2009/161/EU | | | | |
| | methyl methacrylate | | | | |
| | WEL short-term (15 min reference period) | | | 100 | ppm |
| | WEL long-term (8-hr TWA reference period) | | | 50 | ppm |
| | List of approved workplace exposure limits (WELs) / E | H40 | | | |
| | Methyl methacrylate | | | | |
| | WEL short-term (15 min reference period) | 416 | mg/m³ | 100 | ppm |
| | WEL long-term (8-hr TWA reference period) | 208 | mg/m³ | 50 | ppm |

DNEL, DMEL and PNEC values

DNEL values (worker)

| | DNEL values (worker) | | | | | |
|----|---------------------------|-----------------------------|-------------------|--------------|--------------|--|
| No | Substance name | | | CAS / EC no | | |
| | Route of exposure | Exposure time | Effect | Value | | |
| 1 | methyl-methacrylate | | | 80-62-6 | | |
| | | | | 201-297-1 | | |
| | dermal | Short term (acut) | local | 1.5 | mg/cm² | |
| | dermal | Long term (chronic) | systemic | 13.67 | mg/kg | |
| | dermal | Long term (chronic) | local | 1.5 | mg/cm² | |
| | inhalative | Long term (chronic) | systemic | 348.4 | mg/m³ | |
| | inhalative | Long term (chronic) | local | 208 | mg/m³ | |
| | inhalative | Short term (acut) | local | 416 | mg/m³ | |
| 2 | | 2,6,6-pentamethyl-4-piperio | dyl) sebacate and | 1065336-91-5 | 5 | |
| | Methyl 1,2,2,6,6-pentamet | hyl-4-piperidyl sebacate | | 915-687-0 | | |
| | dermal | Long term (chronic) | systemic | 1.8 | mg/kg bw/day | |
| | inhalative | Long term (chronic) | systemic | 1.27 | mg/m³ | |

DNEL value (consumer)

| No | Substance name | | | CAS / EC no | |
|----|---------------------|---------------------|----------|-------------|--------------------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | methyl-methacrylate | | | 80-62-6 | |
| | | | | 201-297-1 | |
| | oral | Long term (chronic) | systemic | 8.2 | mg/kg bw/day |
| | dermal | Short term (acut) | local | 1.5 | mg/cm² |
| | dermal | Long term (chronic) | systemic | 8.2 | mg/kg |
| | dermal | Long term (chronic) | local | 1.5 | mg/cm ² |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| | inhalative | Long term (chronic) | systemic | 74.3 | mg/m³ |
|---|--------------------------------|--|-------------------|-----------------------|------------------------------|
| | inhalative | Long term (chronic) | local | 104 | mg/m³ |
| | inhalative | Short term (acut) | local | 208 | mg/m³ |
| 2 | Reaction mass of Bis(1,2, | 2,6,6-pentamethyl-4-piperio | dyl) sebacate and | 1065336-91- | 5 |
| | Methyl 1,2,2,6,6-pentamet | hyl-4-piperidyl sebacate | • , | 915-687-0 | |
| | Methyl 1,2,2,6,6-pentamet oral | hyl-4-piperidyl sebacate Long term (chronic) | systemic | 915-687-0 0.18 | mg/kg bw/day |
| | | hyl-4-piperidyl sebacate | T | | mg/kg bw/day mg/kg bw/day |

PNEC values

| No | Substance name | | CAS / EC no | |
|----|---|-----------------------|-------------|-----------|
| | ecological compartment | Туре | Value | |
| 1 | methyl-methacrylate | | 80-62-6 | |
| | | | 201-297-1 | |
| | water | fresh water | 0.94 | mg/L |
| | water | marine water | 0.094 | mg/L |
| | water | Aqua intermittent | 0.94 | mg/L |
| | water | fresh water sediment | 10.2 | mg/kg |
| | water | marine water sediment | 0.102 | mg/kg dry |
| | | | | weight |
| | soil | - | 1.48 | mg/kg dry |
| | | | | weight |
| | sewage treatment plant | - | 10 | mg/L |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentame | | 1065336-91- | 5 |
| | Methyl 1,2,2,6,6-pentamethyl-4-piperidy | yl sebacate | 915-687-0 | |
| | water | fresh water | 0.002 | mg/L |
| | water | marine water | 0 | mg/L |
| | water | fresh water sediment | 1.05 | mg/kg dry |
| | | | | weight |
| | water | marine water sediment | 0.11 | mg/kg dry |
| | | | | weight |
| | soil | - | 0.21 | mg/kg dry |
| | | | | weight |
| | sewage treatment plant | - | 1 | mg/L |

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas):

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

fire-resistant protective clothing

Environmental exposure controls

No data available.



Trade name: WIDOCRYL-PM (-TEN)/ -PD/ -Detail

Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| State of aggregation liquid | | |
|--|----------------------------------|--------------------|
| Form liquid | | |
| Colour | | |
| coloured | | |
| Odour of acrylate | | |
| Odour threshold Value | 0.05 | ppm |
| pH value | - | FE |
| reason for missing pH | substance/mixture is non-s | soluble (in water) |
| Boiling point / boiling range Value | 101 | °C |
| Method Reference substance | DIN 51751 Methyl methacrylate | Ü |
| Melting point/freezing point | 10 | |
| Value Reference substance | -48 Methyl methacrylate | °C |
| Decomposition temperature No data available | | |
| Flash point | | |
| Value Method | 12 DIN 51755 | °C |
| Reference substance | Methyl methacrylate | |
| Ignition temperature No data available | | |
| Flammability No data available | | |
| Lower explosion limit | _ | |
| Value Reference substance | 2.1 Methyl methacrylate | % vol |
| Upper explosion limit | 10.7 | |
| Value Reference substance | 12.5 Methyl methacrylate | % vol |
| Vapour pressure | 00.7 | |
| Value Reference substance | 38.7 Methyl methacrylate | mbar |
| Relative vapour density No data available | | |
| Relative density | | |
| No data available | | |
| Density | | |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| Value | 1.36 g/cm³ |
|-----------------------|------------|
| Reference temperature | 25 °C |
| Method | DIN 53217 |

| Solubility in water | |
|---------------------|-----------|
| Comments | insoluble |

| Solubility | |
|-------------------|--|
| No data available | |

| Part | Partition coefficient n-octanol/water (log value) | | | | | |
|---------------------|--|--------------------------|--------------|------|-----------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | methyl-methacrylate | | 80-62-6 | | 201-297-1 | |
| log F | Pow | | | 1.38 | | |
| Refe | erence temperature | | | 20 | °C | |
| Soul | rce | ECHA | | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentameth piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | hyl-4- | 1065336-91-5 | | 915-687-0 | |
| log F | Pow | 2.37 | - | 2.77 | | |
| Refe | erence temperature | | | 25 | °C | |
| with | reference to | pH 7 | | | | |
| Meth | nod | OECD 107 | | | | |
| Soul | rce | ECHA | | | | |
| 3 | dodecane-1-thiol | | 112-55-0 | | 203-984-1 | |
| log F | Pow | > | | 6.5 | | |
| Refe | erence temperature | | | 25 | °C | |
| with Meth Sou | | pH 7 OECD 117 ECHA | | | | |

| Kinematic viscosity | |
|-----------------------|-----------------|
| Value | 490 - 700 mPa*s |
| Reference temperature | 25 °C |
| Туре | kinematic |
| Method | DIN 53018 |

| Particle characteristics | |
|--------------------------|--|
| No data available | |

9.2 Other information

| Other information | |
|--------------------|--|
| No data available. | |

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable if stored and handled properly.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, naked flames or other ignition sources, electrostatic charge and discharge, formation of vapours/aerosols.

10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

10.6 Hazardous decomposition products



Trade name: WIDOCRYL-PM (-TEN)/ -PD/ -Detail

Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acu | te oral toxicity | | | |
|------|---|-------------|------------------------|----------------------------------|
| No | Substance name | | CAS no. | EC no. |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | | 1065336-91-5 | 915-687-0 |
| LD5 | 0 | | 32 | 30 mg/kg bodyweight |
| Spe | cies | rat | | |
| Meth | nod | OECD 423 | | |
| Soul | rce | ECHA | | |
| Eval | uation/classification | Based on av | ailable data, the clas | sification criteria are not met. |
| 2 | dodecane-1-thiol | | 112-55-0 | 203-984-1 |
| LD5 | 0 | > | 50 | 00 mg/kg bodyweight |
| Spe | cies | rat | | |
| Soul | rce | ECHA | | |

| Acu | te dermal toxicity | | | | |
|------|---|--------------|-------------------|----------------|-----------------------|
| No | Substance name | | CAS no. | | EC no. |
| 1 | methyl-methacrylate | | 80-62-6 | | 201-297-1 |
| LD5 | 0 | > | | 5000 | mg/kg bodyweight |
| Spec | cies | rabbit | | | |
| Meth | nod | OECD 402 | | | |
| Soul | rce rce | ECHA | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentamet | hyl-4- | 1065336-91-5 | | 915-687-0 |
| | piperidyl) sebacate and Methyl 1,2,2,6,6- | | | | |
| | pentamethyl-4-piperidyl sebacate | | | | |
| LD5 | 0 | > | | 3170 | mg/kg bodyweight |
| Spec | cies | rat | | | |
| Meth | nod | OECD 402 | | | |
| Sou | rce | ECHA | | | |
| Eval | uation/classification | Based on ava | ailable data, the | classification | criteria are not met. |
| 3 | dodecane-1-thiol | | 112-55-0 | | 203-984-1 |
| LD5 | 0 | >= | | 2000 | mg/kg bodyweight |
| Spec | cies | rabbit | | | |
| Meth | nod | OECD 402 | | | |
| Soul | rce | ECHA | | | |

| Acu | Acute inhalational toxicity | | | | | | |
|-------|-----------------------------|--------|---------|------|-----------|--|--|
| No | Substance name | | CAS no. | | EC no. | | |
| 1 | methyl-methacrylate | | 80-62-6 | | 201-297-1 | | |
| LC5 | 0 | | | 29.8 | mg/l | | |
| Dura | ation of exposure | | | 4 | h | | |
| State | e of aggregation | Vapour | | | | | |
| Spec | cies | rat | | | | | |
| Soul | ce | ECHA | | | | | |

| Skin | Skin corrosion/irritation | | | | | | |
|------|--|--------------|--------------|-----------|--|--|--|
| No | Substance name | | CAS no. | EC no. | | | |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentametl piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | | 1065336-91-5 | 915-687-0 | | | |
| Spe | cies | rabbit | | | | | |
| Meth | nod | EPA OPP 8 | 31-5 | | | | |
| Soul | rce | ECHA | | | | | |
| Eval | uation | non-irritant | | | | | |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| Evaluation/classification | | Based on availa | Based on available data, the classification criteria are not met. | | |
|---------------------------|-------------------|-----------------|---|-----------|--|
| 2 | dodecane-1-thiol | 1 | 12-55-0 | 203-984-1 | |
| Dura | ation of exposure | | 4 | h | |
| Spec | cies | rabbit | | | |
| Meth | nod | OECD 404 | | | |
| Sour | rce | ECHA | | | |
| Eval | uation | corrosive | | | |

| Seri | Serious eye damage/irritation | | | | | | |
|--------|---|---------------|-----------------------|----------------------------------|--|--|--|
| No | Substance name | | CAS no. | EC no. | | | |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | | 1065336-91-5 | 915-687-0 | | | |
| Spe | cies | rabbit | | | | | |
| Meth | nod | EPA OPP 81-4 | ļ | | | | |
| Source | | ECHA | | | | | |
| Eval | uation | non-irritant | | | | | |
| Eval | uation/classification | Based on avai | lable data, the class | sification criteria are not met. | | | |

| Res | piratory or skin sensitisation | | | |
|------|--|-------------|-------------------------|---------------------------------|
| No | Substance name | | CAS no. | EC no. |
| 1 | methyl-methacrylate | | 80-62-6 | 201-297-1 |
| Rou | te of exposure | Skin | | |
| Spe | cies | mouse | | |
| Metl | hod | OECD 429 | | |
| Sou | rce | ECHA | | |
| Eval | luation | sensitizing | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentame piperidyl) sebacate and Methyl 1,2,2,6,6 pentamethyl-4-piperidyl sebacate | | 1065336-91-5 | 915-687-0 |
| Rou | te of exposure | Skin | | |
| Spe | cies | guinea pig | | |
| Metl | hod | OECD 406 | | |
| Sou | rce | ECHA | | |
| | luation | sensitizing | | |
| Eva | luation/classification | Based on av | ailable data, the class | ification criteria are not met. |
| 3 | dodecane-1-thiol | | 112-55-0 | 203-984-1 |
| Rou | te of exposure | Skin | | |
| Spe | cies | mouse | · | · |
| Metl | hod | OECD 429 | | |
| Sou | rce | ECHA | | |
| Eval | luation | sensitizing | | |

| Geri | Germ cell mutagenicity | | | | | |
|------|---|---|--------------------------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | methyl-methacrylate | 80-62-6 | 201-297-1 | | | |
| Soul | rce | ECHA | | | | |
| Eval | uation/classification | Based on available data, the classification | on criteria are not met. | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentamet | nyl-4- 1065336-91-5 | 915-687-0 | | | |
| | piperidyl) sebacate and Methyl 1,2,2,6,6- | | | | | |
| | pentamethyl-4-piperidyl sebacate | | | | | |
| Туре | e of examination | in vitro gene mutation study in mammalian cells | | | | |
| Spec | cies | Chinese hamster V79 cells | | | | |
| Meth | nod | OECD 476 | | | | |
| Soul | rce | ECHA | | | | |
| Eval | uation/classification | Based on available data, the classification criteria are not met. | | | | |
| Туре | e of examination | in vitro gene mutation study in bacteria | | | | |
| Spec | cies | Salmonella typhimurium / Escherichia coli | | | | |
| Meth | nod | OECD 471 | | | | |
| Soul | rce | ECHA | | | | |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| Evaluation/classification Type of examination Species Method | Based on available data, the classification criteria are not met. In vitro Mammalian Chromosomal Aberration Test Human Lymphocyte OECD 473 |
|--|--|
| Source | ECHA |
| Evaluation/classification | Based on the available data, the classification criteria are not met. |
| Route of exposure | oral |
| Type of examination | In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus |
| Species | mouse |
| Method | OECD 474 |
| Source | ECHA |
| Evaluation/classification | Based on available data, the classification criteria are not met. |

Reproduction toxicity

No data available

| Carcinogenicity | | | | | | |
|-----------------|-----------------------|------------------------------------|----------------------------------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | methyl-methacrylate | 80-62-6 | 201-297-1 | | | |
| Soul | rce | ECHA | | | | |
| Eval | uation/classification | Based on available data, the class | sification criteria are not met. | | | |

STOT - single exposure No data available

| STO | STOT - repeated exposure | | | | | | | |
|--------|---|----------------|------------------------|---------------------------------|--|--|--|--|
| No | Substance name | | CAS no. | EC no. | | | | |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentameth piperidyl) sebacate and Methyl 1,2,2,6,6- pentamethyl-4-piperidyl sebacate | | 1065336-91-5 | 915-687-0 | | | | |
| Rout | te of exposure | oral | | | | | | |
| Spec | cies | rats (male/fer | nale) | | | | | |
| Meth | nod | OECD 407 | | | | | | |
| Source | | ECHA | | | | | | |
| Eval | uation/classification | Based on ava | ilable data, the class | ification criteria are not met. | | | | |

| Aspiration haz | ard | | |
|-----------------|-----|--|--|
| No data availab | le | | |

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

| Tox | icity to fish (acute) | | | | |
|---------|-----------------------|-----------------|--------|-----------|--|
| No | Substance name | CAS | S no. | EC no. | |
| 1 | methyl-methacrylate | 80-0 | 62-6 | 201-297-1 | |
| LC5 | 0 | > | 79 | mg/l | |
| Dura | ation of exposure | | 96 | h | |
| Species | | Oncorhynchus my | kiss . | | |
| Method | | OECD 203 | | | |
| Sou | rce | ECHA | | | |



Trade name: WIDOCRYL-PM (-TEN)/ -PD/ -Detail

Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| 2 | Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | hyl-4- | 1065336-91-5 | | 915-687-0 |
|---------|---|-------------|--------------|-----|-----------|
| LC5 | 0 | | | 0.9 | mg/l |
| Dura | ation of exposure | | | 96 | h |
| Spec | cies | Danio rerio | | | |
| Soul | rce | ECHA | | | |
| 3 | dodecane-1-thiol | | 112-55-0 | | 203-984-1 |
| LC5 | 0 | > | | 100 | mg/l |
| Dura | ation of exposure | | | 96 | h |
| Species | | Oncorhynchu | s mykiss | | |
| Soul | rce | ECHA | - | | |

Toxicity to fish (chronic) No data available

| Toxi | city to Daphnia (acute) | | | | |
|------|-------------------------|---------------|----------|----|---|
| No | Substance name | | CAS no. | | EC no. |
| 1 | methyl-methacrylate | | 80-62-6 | | 201-297-1 |
| EC5 | 0 | | | 69 | mg/l |
| Dura | tion of exposure | | | 48 | h |
| Spec | cies | Daphnia magi | na | | |
| Meth | nod | OECD 202 | | | |
| Soul | rce rce | ECHA | | | |
| 2 | dodecane-1-thiol | | 112-55-0 | | 203-984-1 |
| EC5 | 0 | > | | 10 | mg/l |
| Dura | tion of exposure | | | 48 | h |
| Spec | cies | Daphnia magi | na | | |
| Meth | nod | OECD 202 | | | |
| Soul | Source | | ECHA | | |
| Eval | uation/classification | The tested co | | | it of solubility. Based on re not met. |

| Toxi | Toxicity to Daphnia (chronic) | | | | | | |
|---------|-------------------------------|---------------|----|-----------|--|--|--|
| No | Substance name | CAS no. | | EC no. | | | |
| 1 | methyl-methacrylate | 80-62-6 | | 201-297-1 | | | |
| NOE | EC . | | 37 | mg/l | | | |
| Dura | ation of exposure | | 21 | day(s) | | | |
| Species | | Daphnia magna | | • • • | | | |
| Method | | OECD 211 | | | | | |
| Soul | rce | ECHA | | | | | |

| Toxi | Toxicity to algae (acute) | | | | | | | |
|------|---|-------------|----------------|--------|--------|------|--|--|
| No | Substance name | | CAS no. | | EC no. | | | |
| 1 | methyl-methacrylate | | 80-62-6 | | 201-29 | 7-1 | | |
| EC5 | 0 | > | | 110 | | mg/l | | |
| Dura | tion of exposure | | | 72 | | h | | |
| Spec | cies | Selenastrum | capricornutum | | | | | |
| Meth | nod | OECD 201 | | | | | | |
| Sour | rce rce | ECHA | | | | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentamet | hyl-4- | 1065336-91-5 | | 915-68 | 37-0 | | |
| | piperidyl) sebacate and Methyl 1,2,2,6,6- | | | | | | | |
| | pentamethyl-4-piperidyl sebacate | | | | | | | |
| EC5 | 0 | | | 0.42 | | mg/l | | |
| Dura | tion of exposure | | | 72 | | h | | |
| Spec | cies | Desmodesmu | ıs subspicatus | | | | | |
| Meth | Method | | | | | | | |
| Sour | rce rce | ECHA | | | | | | |
| 3 | dodecane-1-thiol | | 112-55-0 | | 203-98 | 34-1 | | |
| EC5 | 0 | > | | 0.0145 | | mg/l | | |



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| Duration of exposure | 72 h |
|---------------------------|---|
| Species | Raphidocelis subcapitata |
| Method | OECD 201 |
| Source | ECHA |
| Evaluation/classification | The tested concentration is above the limit of solubility. Based on |
| | available data, the classification criteria are not met. |

| Toxi | Toxicity to algae (chronic) | | | | | | |
|---------|-----------------------------|------------------------------------|-------------------------------|--|--|--|--|
| No | Substance name | CAS no. | EC no. | | | | |
| 1 | dodecane-1-thiol | 112-55-0 | 203-984-1 | | | | |
| NOE | :C | 14 | .5 μg/l | | | | |
| Dura | ition of exposure | 72 | ! h | | | | |
| Species | | Raphidocelis subcapitata | | | | | |
| Soul | ce | ECHA | ECHA | | | | |
| Eval | uation/classification | Based on available data, the class | ssification criteria are met. | | | | |

| Bac | Bacteria toxicity | | | | | | | |
|------|--|------------------|------------|-----------|--|--|--|--|
| No | Substance name | CA | S no. | EC no. | | | | |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentametl piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | hyl-4- 106 | 55336-91-5 | 915-687-0 | | | | |
| IC50 |) | >= | 100 | mg/l | | | | |
| Dura | ation of exposure | | 3 | h | | | | |
| Spe | cies | activated sludge | | | | | | |
| Meth | nod | OECD 209 | | | | | | |
| Soul | rce | ECHA | | | | | | |

12.2 Persistence and degradability

| Biod | Biodegradability | | | | |
|------------|--|---------------------------|------------|-----------|--|
| No | Substance name | CAS no. | | EC no. | |
| 1 | methyl-methacrylate | 80-62-6 | | 201-297-1 | |
| Valu | e | | 94 | % | |
| Dura | ation | | 14 | day(s) | |
| Meth | nod | OECD 301 C | | | |
| Soul | rce | ECHA | | | |
| Eval | uation | readily biodegradable | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | | | | |
| Туре | | aerobic biodegradation | | | |
| Valu | e | | 38 | % | |
| Dura | ation | | 28 | d | |
| Meth | nod | OECD 301 E | | | |
| Soul | rce | ECHA | | | |
| Evaluation | | Moderately/partially biod | legradable | | |

12.3 Bioaccumulative potential

| Biod | Bioconcentration factor (BCF) | | | | | | |
|---------|--|-----------------|-----------|--|--|--|--|
| No | Substance name | CAS no. | EC no. | | | | |
| 1 | Reaction mass of Bis(1,2,2,6,6-pentameth piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | | 915-687-0 | | | | |
| BCF | | < | 31.4 | | | | |
| Species | | Cyprinus carpio | | | | | |
| Source | | ECHA | | | | | |

| Part | Partition coefficient n-octanol/water (log value) | | | | | |
|---------|---|---------|-----------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | methyl-methacrylate | 80-62-6 | 201-297-1 | | | |
| log Pow | | 1.38 | | | | |



Trade name: WIDOCRYL-PM (-TEN)/ -PD/ -Detail

Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

| Refe | rence temperature | | | 20 | °C | |
|--------|---|----------|--------------|------|-----------|--|
| Source | | ECHA | | | | |
| 2 | Reaction mass of Bis(1,2,2,6,6-pentamet piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate | hyl-4- | 1065336-91-5 | | 915-687-0 | |
| log F | Pow | 2.37 | - | 2.77 | | |
| Refe | rence temperature | | | 25 | °C | |
| with | with reference to | | | | | |
| Meth | Method | | | | | |
| Sour | ce | ECHA | | | | |
| 3 | dodecane-1-thiol | | 112-55-0 | | 203-984-1 | |
| log F | Pow | > | | 6.5 | | |
| Refe | rence temperature | | | 25 | °C | |
| with | with reference to | | | | | |
| Method | | OECD 117 | | | | |
| Sour | ce | ECHA | | | | |

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

| Results of PBT and vPvB assessment | |
|------------------------------------|--|
| PBT assessment | According to the information provided in the supply chain, the mixture |
| | does not contain > 0.1% of a substance that is considered to be PBT. |
| vPvB assessment | According to the information provided in the supply chain, the mixture |
| | does not contain > 0.1% of a substance that is considered to be |
| | vPvB. |

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

| (| Other information |
|---|--|
| | Do not discharge product unmonitored into the environment. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN1866 IMDG UN1866 ICAO-TI / IATA UN1866

14.2 UN proper shipping name

ADR/RID/ADN RESIN SOLUTION IMDG RESIN SOLUTION



Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

14.3 Transport hazard class(es)

| ADR/RID/ADN - Class | 3 |
|---------------------------|------|
| Label | 3 |
| Classification code | F1 |
| Tunnel restriction code | D/E |
| Hazard identification no. | 33 |
| Special Provision 640 | 640C |
| IMDG - Class | 3 |
| Label | 3 |
| ICAO-TI / IATA - Class | 3 |
| Label | 3 |
| | - |

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

ADR/RID/ADN Symbol "fish and tree"
IMDG Symbol "fish and tree"
EmS F-E. S-E

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No. 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

| No | Substance name | CAS no. | EC no. | No |
|----|---------------------|---------|-----------|----|
| 1 | methyl-methacrylate | 80-62-6 | 201-297-1 | 75 |

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: E2, P5b

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

15.2 Chemical safety assessment

No data available.



Trade name: WIDOCRYL-PM (-TEN)/ -PD/ -Detail

Current version: 6.0.0, issued: 05.07.2024 Replaced version: 6.0.0, issued: 01.07.2024 Region: GB

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.
 Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D Certain substances which are susceptible to spontaneous polymerisation or

decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the

substance followed by the words 'non-stabilised'.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 21967