

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**WIDOCRYL-PM (-TEN)**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Sealants

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Widopan Produkte GmbH  
 Ostereichen 3  
 D-21714 Hammah

Telephone no. +49 (0) 4144 69821-0

Fax no. +49 (0) 4144 69821-20

**Information provided by / telephone**

+49 (0) 4144 69821-0

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Flam. Liq. 2; H225

Skin Irrit. 2; H315

Skin Sens. 1; H317

STOT SE 3; H335

**Classification information**

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to skin sensitization and/or respiratory sensitization are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**

Trade name: WIDOCRYL-PM (-TEN)

Current version : 1.0.0, issued: 27.09.2019

Replaced version: -, issued: -

Region: GB



GHS02



GHS07

### Signal word

Danger

### Hazardous component(s) to be indicated on label:

methyl-methacrylate

### Hazard statement(s)

H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

### Hazard statements (EU)

EUH208 Contains bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate, methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, 2,2'-ethylenedioxydiethyl dimethacrylate, 2-Hydroxyethyl methacrylate. May produce an allergic reaction.

### Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing vapours/spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

### 2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Chemical characterization

Mixture (preparation)

#### Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>methyl-methacrylate</b>			
	80-62-6 201-297-1 607-035-00-6 01-2119452498-28	Flam. Liq. 2; H225 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	>= 50.00 - < 70.00	%-b.w.
2	<b>bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate</b>			
	41556-26-7 255-437-1 - -	Aquatic Acute 1; H400 Skin Sens. 1; H317 Aquatic Chronic 1; H410	< 2.50	%-b.w.
3	<b>dodecane-1-thiol</b>			

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

	112-55-0 203-984-1 - 01-2119491318-31	Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.50	%-b.w.
4	<b>methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate</b>			
	82919-37-7 280-060-4 - -	Aquatic Acute 1; H400 Skin Sens. 1; H317 Aquatic Chronic 1; H410	< 2.50	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	D	-	-	-
3	-	-	M = 10	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

#### After skin contact

Remove with a cloth or paper. Wash off with soap and water. Don't use solvents. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical assistance.

#### After ingestion

Do not induce vomiting. Call a doctor immediately. Rinse mouth thoroughly with water. Drink water in small gulps. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Cool endangered containers with water spray jet. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

## SECTION 6: Accidental release measures

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

## 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away sources of ignition.

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

## 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Wash hands before breaks and after work. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

#### Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition. Use explosion-proof equipment/fittings and non-sparking tools.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep in a cool place, heat causes increase in pressure and risk of bursting.

#### Recommended storage temperature

Value 5 - 25 °C

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original one. Fill containers only up to 80%, because oxygen (air) is necessary for stabilization.

#### Incompatible products

Do not store together with fire promoting substances. Do not store together with foodstuffs.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	methyl-methacrylate	80-62-6	201-297-1
	2009/161/EU		
	methyl methacrylate		
	WEL short-term (15 min reference period)		100 ppm

Trade name: WIDOCRYL-PM (-TEN)

Current version : 1.0.0, issued: 27.09.2019

Replaced version: -, issued: -

Region: GB

	WEL long-term (8-hr TWA reference period)			50	ppm
<b>List of approved workplace exposure limits (WELs) / EH40</b>					
Methyl methacrylate					
	WEL short-term (15 min reference period)	416	mg/m <sup>3</sup>	100	ppm
	WEL long-term (8-hr TWA reference period)	208	mg/m <sup>3</sup>	50	ppm

## DNEL, DMEL and PNEC values

### DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	dermal	Short term (acute)	local	1.5	mg/cm <sup>2</sup>
	dermal	Long term (chronic)	systemic	13.67	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	208	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	208	mg/m <sup>3</sup>

### DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	methyl-methacrylate			80-62-6 201-297-1	
	dermal	Short term (acute)	local	1.5	mg/cm <sup>2</sup>
	dermal	Long term (chronic)	systemic	8.2	mg/kg
	dermal	Long term (chronic)	local	1.5	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	74.3	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	104	mg/m <sup>3</sup>

### PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	methyl-methacrylate		80-62-6 201-297-1	
	water	fresh water	0.94	mg/L
	water	marine water	0.94	mg/L
	water	Aqua intermittent	0.94	mg/L
	water	fresh water sediment	5.74	mg/kg
	soil	-	1.47	mg/kg
	sewage treatment plant	-	10	mg/L

## 8.2 Exposure controls

### Appropriate engineering controls

No data available.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (gas) : A

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

**Other**

fire-resistant protective clothing

**Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
liquid	
coloured	
<b>Odour</b>	
of acrylate	
<b>Odour threshold</b>	
Value	0.05 ppm
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
Value	100.3 °C
Method	DIN 51751
Reference substance	Methyl methacrylate
<b>Melting point / melting range</b>	
Value	-48 °C
Reference substance	Methyl methacrylate
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
Value	11.5 °C
Method	DIN 51755
Reference substance	Methyl methacrylate
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
No data available	
<b>Explosive properties</b>	
No data available	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
Value	2.1 % vol
Reference substance	Methyl methacrylate
<b>Upper flammability or explosive limits</b>	
Value	12.5 % vol
Reference substance	Methyl methacrylate
<b>Vapour pressure</b>	
Value	38.7 mbar
Reference substance	Methyl methacrylate
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	

Trade name: WIDOCRYL-PM (-TEN)

Current version : 1.0.0, issued: 27.09.2019

Replaced version: -, issued: -

Region: GB

No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	1.36	g/cm <sup>3</sup>	
Reference temperature	25	°C	
Method	DIN 53217		
<b>Solubility in water</b>			
Comments	insoluble		
<b>Solubility(ies)</b>			
No data available			
<b>Partition coefficient: n-octanol/water</b>			
No data available			
<b>Viscosity</b>			
Value	490 - 700	mPa*s	
Reference temperature	25	°C	
Type	kinematic		
Method	DIN 53018		

## 9.2 Other information

<b>Other information</b>			
No data available.			

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable if stored and handled properly.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Heat, naked flames or other ignition sources, electrostatic charge and discharge, formation of vapours/aerosols.

### 10.5 Incompatible materials

Peroxides; Amines; Heavy metals; Oxidizing agents; Reducing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

<b>Acute oral toxicity</b>			
No data available			
<b>Acute dermal toxicity</b>			
No data available			
<b>Acute inhalational toxicity</b>			
<b>No</b>	<b>Product Name</b>		
LC50		4632	ppm
Duration of exposure		4	h
Species	rat		
Reference substance	Methyl methacrylate		

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

Skin corrosion/irritation	
No	Product Name
1	WIDOCRYL-PM (-TEN)
Evaluation	irritant
Serious eye damage/irritation	
No data available	
Respiratory or skin sensitisation	
No	Product Name
1	WIDOCRYL-PM (-TEN)
Route of exposure	Skin
Evaluation	sensitizing
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	
Delayed and immediate effects as well as chronic effects from short and long-term exposure	
Inhalation of vapours may lead to headache, drowsiness and dizziness. Irritating effects on the skin and mucous membrane. Irritating to eyes. Irritates respiratory tract. Possibility of sensitisation through skin contact.	

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)	
No	Product Name
1	WIDOCRYL-PM (-TEN)
LC50	243 - 275 mg/l
Duration of exposure	96 h
Species	Pimephales promelas
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No	Product Name
1	WIDOCRYL-PM (-TEN)
EC50	69 mg/l
Duration of exposure	48 h
Species	Daphnia magna
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No	Product Name
1	WIDOCRYL-PM (-TEN)
EC50	170 mg/l
Duration of exposure	96 h
Species	Pseudokirchneriella subcapitata



**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

<b>Toxicity to algae (chronic)</b>
No data available

<b>Bacteria toxicity</b>
No data available

## 12.2 Persistence and degradability

<b>Biodegradability</b>	
<b>No</b>	<b>Product Name</b>
1	WIDOCRYL-PM (-TEN)
Value	94 %
Duration	14 d
Reference substance	Methyl methacrylate
Method	OECD 301 C
Evaluation	readily biodegradable

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Other adverse effects

No data available.

## 12.7 Other information

<b>Other information</b>
Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## SECTION 14: Transport information

### 14.1 Transport ADR/RID/ADN

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1866
Proper shipping name	RESIN SOLUTION
Special Provision 640	640C
Tunnel restriction code	D/E
Label	3

### 14.2 Transport IMDG

Class	3
Packing group	II
UN number	UN1866
Proper shipping name	RESIN SOLUTION
EmS	F-E, S-E
Label	3

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

## 14.3 Transport ICAO-TI / IATA

Class	3
Packing group	II
UN number	UN1866
Proper shipping name	Resin solution
Label	3

## 14.4 Other information

No data available.

## 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

## 14.6 Special precautions for user

No data available.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

#### **Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### **REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

#### **Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40
---	----------

#### **Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category:	P5b
--	-----

### 15.2 Chemical safety assessment

No data available.

## SECTION 16: Other information

#### **Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

#### **Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

---

**Trade name:** WIDOCRYL-PM (-TEN)

**Current version :** 1.0.0, issued: 27.09.2019

**Replaced version:** -, issued: -

**Region:** GB

---

D Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

**Department issuing safety data sheet**

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 760343